Factsheet June 2002



How to Estimate Your Hazardous Air Pollutant Emissions

What are Hazardous Air Pollutants?

Hazardous air pollutants, which are known as HAPs, are chemicals that are known or suspected causes of cancer, or other serious health problems, including damage to the respiratory or nervous systems, birth defects, and reproductive effects. HAPs are released by sources, such as auto body repair shops, dry cleaners, printing shop, surface coating and painting operations, and motor vehicles (cars, trucks, buses, etc.). Refer to Attachment C for a list of the 188 HAPs that are included in the Clean Air Act Amendments of 1990.

What kind of information do I need to estimate HAP emissions?

You can determine if you have HAPs in the coating and cleaning products at your business by looking on your Material Safety Data Sheets (MSDS). Contact your coating supplier for free copies of your product MSDS, if you do not have copies at your business. For a list of the HAPs that are listed in the 1990 Clean Air Act, contact the Division's Small Business Assistance Program (SBAP) or the Division's Permitting section and ask for **Attachment C, Hazardous Air Pollutant List,** of the **Small Source Registration Notice** (phone numbers are listed below). The HAPs that are listed on Attachment C are the chemicals that should be inventoried.

How do I estimate HAP emissions?

To estimate HAP emissions you will need the density or specific gravity, percent HAP (all by weight percent), and coating use in gallons. If the density or specific gravity and percent HAP information is not on the MSDS from your product supplier, then request it. If you use many types of products, **categorize the products you use into similar groups**. For example, an automotive refinishing shop may use the following categories: enamels, lacquers, clean-up solvents, topcoats, primers, etc. A printing shop may use the following categories: fountain solutions, inks, cleaning solutions, etc. A wood finishing shop may use the following categories: washcoats, sealers, topcoats, stains, cleanup solvents, etc. After categorizing your products, choose one product that is the most representative of that category. Continue to Step 1 to estimate your HAP emissions, based on the information supplied on the representative MSDS for each designated product category.

- Step 1: Enter the different product categories in Column A. Estimate the total gallons of product that you use on an annual basis for each designated product category and fill in the number in Column B. The gallons per year can be estimated by recording what you use in an average month and then multiplying by 12 to convert to annual basis.
- Step 2: The pounds per gallon in Column C can be determined from your representative MSDS for the product category. If the specific gravity (S.G.) is given instead, use the following formula to calculate pounds per gallon: S.G. X 8.3 lbs/gal. The S.G. will be in the range of 0.8 to 1.3. For example, most solvents are less than 1.0 since they are less dense than water, which has a S.G. of 1.0.
- Step 3: Multiply the gallons per year in Column B by the pounds per gallon given in Column C. Fill in the number in Column D.
- Using your *representative* MSDS, compare **all** the chemicals listed on the MSDS to the list of 188 hazardous air pollutants (HAPs) list on **Attachment C** of the Small Source Registration Notice. List all the HAPs and percent by weight in the space provided in Column E. If the MSDS gives a range of 10-20% for a chemical, use the midpoint of 15%. Convert the percentage (15%) to a fraction (.15) and enter in column E. Keep in mind that an MSDS lists many chemicals that are not HAPs.
- Step 5: To determine the pounds per year for each HAP in a product category, multiply the pounds per year in Column D by the fraction in Column E. Enter the number in the space provided in Column E.
- Step 6: Add the pounds per year for each HAP in Column E and enter the total at the bottom of the table. Enter the pounds per year for all HAPs (grand total) in Box X. If you need more than three columns for HAPs, tape two worksheets together.

| H | azardou | s Air Po | llutants | Emis | sion V | Vorks | heet | | | | | |
|--|---------------------|----------------------|--------------------|-----------------------|--------------------|------------------------|--------------------|------------------------|--------------------|------------------------|--------------------|--|
| Column A | Column B | Column C | Column D | | | Colur | nn E | | | | | |
| Chemical Products Used | | | | | (Name of HAP) | | (Name of HAP) | | (Name of HAP) | | (Name of HAP) | |
| Product Categories (paints, glues, solvents) | Gallons Per Year | Pounds Per Gallon | Pounds Per Year | Fraction | Pounds Per Year | Fraction | Pounds Per Year | Fraction | Pounds Per Year | Fraction | Pounds Per Year | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | Cub | | Cl- | | CIs | | St. b | | |
| | | | | Sub- Total (1): | | Sub- Total (2) : | | Sub- Total (3) : | | Sub- Total (4) : | | |
| Box X (Pounds Per Year) Grand Total (1+2+3+4): | | | | | | | | | | | | |

File: U:\aq\engineer\opp-sbap\guides\hap\hapfact

| Hazardous Air Pollutants Emission Worksheet | | | | | | | | | | | |
|--|---|----------------------|--------------------|-----------------------|--------------------------|------------------------|-------------------------------------|------------------------|-------------------------|-----------------------|--------------------|
| Column A | Column B | Column C | Column D | | | Colu | mn E | | | | |
| Chemical Products Used | | | | of HAP) | Toluene (Name of HAP) | | Methylene Chloride (Name of HAP) | | Xvlene (Name of HAP) | | |
| Product Categories (paints, glues, solvents) | Gallons Per Year | Pounds Per Gallon | Pounds Per Year | Fraction | Pounds Per Year | Fraction | Pounds Per Year | Fraction | Pounds Per Year | Fraction | Pounds Per Year |
| Precoats | 200 | 6.5 | 1,300 | 0.15 | 195 | | | | | | |
| Primer Surfacers | 150 | 7.5 | 1,125 | | | | | 0.25 | 280 | 0.10 | 112 |
| Primer Sealers | 100 | 9.5 | 950 | | | 0.20 | 190 | | | | |
| Solvents | 125 | 6.2 | 775 | 0.90 | 700 | 0.10 | 75 | | | | |
| Topcoats | 75 | 9.5 | 712 | | | 0.30 | 214 | | | | |
| Specialty | 40 | 8.0 | 320 | | | | | 0.15 | 48 | 0.05 | 16 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | Sub- Total (1): | 895 | Sub- Total (2) : | 479 | Sub- Total (3) : | 328 | Sub- Total (4): | 128 |
| | Box X (Pounds Per Year) Grand Total (1+2+3+4): 1810 | | | | | | | | | | |

Utah Division of Air Quality

Attachment C: Hazardous Air Pollutant List

Below is a list of the 188 hazardous air pollutants (HAPs) that are regulated by the Clean Air Act Amendments (CAA) of 1990. Please indicate which pollutants are emitted by your business by checking the appropriate box(es) below. Provide an estimate of the expected annual and potential to emit emissions of HAPs and record in Section IV, Air Emission Information, of the Small Source Registration Notice.

| _ | | | | |
|---|--------------------|--|-------------|---|
| 9 | 75-07-0 | Acetaldehyde | 9 Varies | |
| 9 | 60-35-5 | Acetamide | 9 108-39-4 | |
| 9 | 75-05-8 | Acetonitrile | 9 95-48-7 | 7 o-Cresol |
| 9 | 98-86-2 | Acetophenone | 9 106-44-5 | • |
| 9 | 53-96-3 | 2-Acetylaminofluorene | 9 1319-77-3 | 3 Cresols/Cresylic acid (isomers and mixture) |
| 9 | 107-02-8 | Acrolein | 9 98-82-8 | 3 Cumene |
| 9 | 79-06-1 | Acrylamide | Varies | s Cyanide Compounds |
| 9 | 79-10-7 | Acrylic acid | | |
| 9 | 107-13-1 | Acrylonitrile | 9 94-75-7 | 7 2,4-D (2,4Dichlorophenoxyacetic acid, |
| 9 | 107-05-1 | Allyl chloride | | including salts and esters) |
| 9 | 92-67-1 | 4-Aminobiphenyl | 9 72-55-9 | DDE (1, 1-Dichloro-2, 2-Bis(p- |
| 9 | 62-53-3 | Aniline | | Chlorophenyl) Ethylene) |
| 9 | 90-04-0 | o-Anisidine | 9 334-88-3 | |
| 9 | Varies | Antimony Compounds | 9 132-64-9 | Dibenzofurans |
| 9 | Varies | Arsenic Compounds (inorganic including | 9 96-12-8 | |
| 7 | vanes | arsine) | 9 84-74-2 | |
| o | 1332-21-4 | Asbestos | 9 106-46-7 | |
| 7 | 1332-21-4 | Aspesios | 9 91-94- | |
| 9 | 71-43-2 | Benzene (including benzene from | 9 111-44-4 | |
| 9 | 11-43-2 | gasoline) | 9 542-75-6 | |
| 9 | 92-87-5 | Benzidine | 9 62-73-7 | · |
| | 92-67-3 98-07-7 | | 9 111-42-2 | |
| 9 | | Benzotrichloride | | |
| 9 | 100-44-7 | Benzyl chloride | | · · · · · · · · · · · · · · · · · · · |
| 9 | Varies | Beryllium Compounds | 9 64-67-5 | |
| 9 | 92-52-4 | Biphenyl | 9 534-52- | |
| 9 | 542-88-1 | Bis(chloromethyl)ether | 9 51-28-5 | • |
| 9 | 117-81-7 | Bis(2-ethylhexyl)phthalate (DEHP) | 9 121-14-2 | • |
| 9 | 75-25-2 | Bromoform | 9 60-11-7 | |
| 9 | 106-99-0 | 1,3-Butadiene | 9 79-44-7 | • |
| | | | 9 68-12-2 | • |
| 9 | Varies | Cadmium Compounds | 9 57-14-7 | 7 1,1-Dimethyl hydrazine |
| 9 | 156-62-7 | Calcium cyanamide | 9 131-11-3 | 3 Dimethyl phthalate |
| 9 | 133-06-2 | Captan | 9 77-78- | 1 Dimethyl sulfate |
| 9 | 63-25-2 | Carbaryl | 9 119-90-4 | 4 3,3-Dimethoxybenzidine |
| 9 | 75-15-0 | Carbon disulfide | 9 119-93-7 | 7 3,3',-Dimethyl benzidine |
| 9 | 56-23-5 | Carbon tetrachloride | 9 123-91- | |
| 9 | 463-58-1 | Carbonyl sulfide | 9 122-66-7 | |
| 9 | 120-80-9 | Catechol | | , |
| 9 | 57-74-9 | Chlordane | 9 106-89-8 | B Epichlorohydrin |
| 9 | 133-90-4 | Chloramben | | (I-Chloro-2,3-epoxypropane) |
| | 7782-50-5 | Chlorine | 9 106-88-7 | |
| 9 | 79-11-8 | Chloroacetic acid | 9 100-41-4 | |
| 9 | 532-27-4 | | 9 51-79-6 | |
| 9 | 108-90-7 | 2-Chloroacetophenone Chlorobenzene | 9 75-00-3 | |
| | | | 9 106-93-4 | |
| 9 | 510-15-6 | Chloroform | 9 107-06-2 | · |
| 9 | 67-66-3 | Chloroform | | , |
| 9 | 126-99-8 | Chloroprene | | |
| 9 | 107-30-2 | Chloromethyl methyl ether | 9 151-56-4 | |
| 9 | Varies | Chromium Compounds | 9 75-21-8 | |
| 9 | Varies | Cobalt Compounds | 9 96-45-7 | 7 Ethylene thiourea |
| | | | | |

| 9 75-34-3 | B Ethylidene dichloride (1,1-Dichloroethane) | 9 85-44-9 | Phthalic anhydride |
|-------------|--|-------------|--|
| | | 9 1336-36-3 | Polychlorinated biphenyls (Aroclors) |
| 9 Varies | | 9 Varies | Polycylic Organic Matter |
| 9 50-00-0 |) Formaldehyde | 9 1120-71-4 | 1,3-Propane sultone |
| | | 9 57-57-8 | beta-Propiolactone |
| 9 Varies | Glycol ethers | 9 123-38-6 | Propionaldehyde |
| | | 9 114-26-1 | Propoxur (Baygon) |
| 9 76-44-8 | | 9 75-55-8 | 1,2-Propylenimine (2-Methyl aziridine) |
| 9 118-74-1 | | 9 78-87-5 | Propylene dichloride (1,2-Dichloropropane) |
| 9 87-68-3 | | 9 75-56-9 | Propylene oxide |
| 9 77-47-4 | , i | | |
| 9 67-72-1 | | 9 91-22-5 | Quinoline |
| 9 822-06-0 | , , , , , , , , , , , , , , , , , , , | 9 106-51-4 | Quinone |
| 9 680-31-9 | • • • | | |
| 9 110-54-3 | | 9 Varies | Radionuclides (including radon) |
| 9 302-01-2 | | 0 1/ 1 | |
| 9 7647-01-0 | | 9 Varies | Selenium Compounds |
| 9 7664-39-3 | , , , , | 9 96-09-3 | Styrene oxide |
| 9 123-31-9 | 9 Hydroquinone | 9 100-42-5 | Styrene |
| 9 78-59-1 | Isophorone | 9 1746-01-6 | 2,3,7,8-Tetrachlorodibenzo-p-dioxin |
| 7 70-33-1 | Isophorone | 9 79-34-5 | 1,1,2,2-Tetrachloroethane |
| 9 Varies | Lead Compounds | 9 127-18-4 | Tetrachloroethylene (Perchloroethylene) |
| 9 58-89-9 | | 9 7550-45-0 | Titanium tetrachloride |
| 7 00 00 0 | Ematric (an isomers) | 9 108-88-3 | Toluene |
| 9 108-31-6 | Maleic anhydride | 9 95-80-7 | 2,4-Toluene diamine |
| 9 Varies | | 9 584-84-9 | 2,4-Toluene dianille 2,4-Toluene diisocyanate |
| 9 Varies | The state of the s | 9 95-53-4 | o-Toluidine |
| 9 67-56-1 | | 9 8001-35-2 | |
| 9 72-43-5 | | 9 120-82-1 | Toxaphene (chlorinated camphene) |
| 9 74-83-9 | • | 9 79-00-5 | 1,2,4-Trichlorobenzene |
| 9 74-87-3 | | 9 79-00-5 | 1,1,2-Trichloroethane Trichloroethylene |
| 9 71-55-6 | | 9 95-95-4 | 2,4,5-Trichlorophenol |
| 9 78-93-3 | | 9 88-06-2 | 2,4,6-Trichlorophenol |
| 9 60-34-4 | | 9 121-44-8 | Triethylamine |
| 9 74-88-4 | , , | 9 1582-09-8 | Trifluralin |
| 9 108-10-1 | | 9 540-84-1 | 2,2,4-Trimethylpentane |
| 9 624-83-9 | | 7 340-04-1 | 2,2,4-11inethylpentane |
| 9 80-62-6 | | 9 108-05-4 | Vinyl acetate |
| 9 1634-04-4 | • | 9 75-01-4 | Vinyl decide Vinyl chloride |
| 9 101-14-4 | | 9 75-35-4 | Vinylidene chloride (1,1-Dichloroethylene) |
| 9 75-09-2 | | 7 70 00 4 | Viriyilderie dilloride (1,1 Didillordetifylerie) |
| 9 101-68-8 | | 9 1330-20-7 | Xylenes (isomers and mixture) |
| 9 101-77-9 | | 9 108-38-3 | m-Xylenes |
| | · · · · · · · · · · · · · · · · · · · | 9 95-47-6 | o-Xylenes |
| 9 91-20-3 | Naphthalene | 9 106-42-3 | p-Xylenes |
| 9 Varies | · · · · · · · · · · · · · · · · · · · | | , |
| 9 98-95-3 | | | |
| 9 100-02-7 | | NOIE: Fo | r all listings above which |
| 9 79-46-9 | | contain th | ne word "compounds" and for |
| 9 684-93-5 | | | ners, the following applies: |
| 9 59-89-2 | | | |
| 9 62-75-9 | | Unless oth | nerwise specified, these listings |
| 9 92-93-3 | 3 4-Nitrobiphenyl | are define | ed as including any unique |
| | | | substance that contains the |
| 9 56-38-2 | | | |
| 9 82-68-8 | , | | hemical (i.e., antimony, |
| 9 87-86-5 | · | arsenic, e | etc.) as part of that chemical's |
| 9 108-95-2 | | infrastruct | • |
| 9 106-50-3 | B p-Phenylenediamine | | · - · |

9 106-50-3 p-Phenylenediamine 9 75-44-5 Phosgene 9 7803-51-2 Phosphine

Phosphorus

9 7723-14-0